INTEGRATIVE PSYCHIATRY & PSYCHOTHERAPY

Karen T. Irizarry, MSW, LCSW, LCAS

New Patient Information Forms

PATIENT HEALTH QUESTIONNAIRE-9 (PHQ-9)

Over the <u>last 2 weeks</u> , how often have you been bothered by any of the following problems? (Use "\sum 'to indicate your answer)		ed Not at all	Several days	More than half the days	Nearly every day
1. Little interest or pleasu	re in doing things	0	1	2	3
2. Feeling down, depress	ed, or hopeless	0	1	2	3
3. Trouble falling or staying asleep, or sleeping too much		0	1	2	3
4. Feeling tired or having	little energy	0	1	2	3
5. Poor appetite or overea	iting	0	1	2	3
6. Feeling bad about your have let yourself or you	self — or that you are a failure or r family down	0	1	2	3
7. Trouble concentrating of newspaper or watching	on things, such as reading the television	0	1	2	3
noticed? Or the oppos	slowly that other people could have te — being so fidgety or restless ving around a lot more than usual	0	1	2	3
9. Thoughts that you woul yourself in some way	d be better off dead or of hurting	0	1	2	3
	For office of	CODING <u>0</u> +		-	
			=	Total Score:	
If you checked off <u>any</u> p work, take care of things	roblems, how <u>difficult</u> have the at home, or get along with oth	se problems ma er people?	ade it for	you to do y	our
Not difficult at all □	Somewhat difficult □	Very difficult □	Extremely difficult		

Developed by Drs. Robert L. Spitzer, Janet B.W. Williams, Kurt Kroenke and colleagues, with an educational grant from Pfizer Inc. No permission required to reproduce, translate, display or distribute.

Mood Disorder Questionnaire

Patient Name D	ate of Visit		
Please answer each question to the best of your ability			
1. Has there ever been a period of time when you were not your usual self at	nd YI	ES	NO
you felt so good or so hyper that other people thought you were not your normal were so hyper that you got into trouble?	self or you		
you were so irritable that you shouted at people or started fights or arguments?			
you felt much more self-confident than usual?]	
you got much less sleep than usual and found that you didn't really miss it?			
you were more talkative or spoke much faster than usual?]	
thoughts raced through your head or you couldn't slow your mind down?			
you were so easily distracted by things around you that you had trouble concentra staying on track?	ting or		
you had more energy than usual?			
you were much more active or did many more things than usual?			
you were much more social or outgoing than usual, for example, you telephoned the middle of the night?	friends in		
you were much more interested in sex than usual?]	
you did things that were unusual for you or that other people might have thought excessive, foolish, or risky?]	
spending money got you or your family in trouble?]	
2. If you checked YES to more than one of the above, have several of these enhappened during the same period of time?	ver		
3. How much of a problem did any of these cause you - like being unable to v having family, money or legal troubles; getting into arguments or fights? No problems Minor problem Moderate problem Serious problem			

This instrument is designed for screening purposes only and not to be used as a diagnostic tool. Permission for use granted by RMA Hirschfeld, MD

Alcohol screening questionnaire (AUDIT)

Our clinic asks all patients about alcohol use at least once a year. Drinking alcohol can affect your health and some medications you may take. Please help us provide you with the best medical care by answering the questions below.

Patient name:	
Date of birth:	

One drink equals:



12 oz. beer



1.5 oz. liquor

				(one si	(01)
How often do you have a drink containing alcohol?	Never	Monthly or less	2 - 4 times a month	2 - 3 times a week	4 or more times a week
2. How many drinks containing alcohol do you have on a typical day when you are drinking?	0 - 2	3 or 4	5 or 6	7 - 9	10 or more
3. How often do you have four or more drinks on one occasion?	Never	Less than monthly	Monthly	Weekly	Daily or almost daily
4. How often during the last year have you found that you were not able to stop drinking once you had started?	Never	Less than monthly	Monthly	Weekly	Daily or almost daily
5. How often during the last year have you failed to do what was normally expected of you because of drinking?	Never	Less than monthly	Monthly	Weekly	Daily or almost daily
6. How often during the last year have you needed a first drink in the morning to get yourself going after a heavy drinking session?	Never	Less than monthly	Monthly	Weekly	Daily or almost daily
7. How often during the last year have you had a feeling of guilt or remorse after drinking?	Never	Less than monthly	Monthly	Weekly	Daily or almost daily
8. How often during the last year have you been unable to remember what happened the night before because of your drinking?	Never	Less than monthly	Monthly	Weekly	Daily or almost daily
Have you or someone else been injured because of your drinking?	No		Yes, but not in the last year		Yes, in the last year
10. Has a relative, friend, doctor, or other health care worker been concerned about your drinking or suggested you cut down?	No		Yes, but not in the last year		Yes, in the last year
	0	1	2	3	4

Have you ever been in treatment for an alcohol problem? $\ \square$ Never $\ \square$ Currently $\ \square$ In the past